

**In the Claims**

For the convenience of the Examiner, all pending claims are set forth below, whether or not an amendment is made. Please amend the claims as follows:

1. (Original) A method for maintaining security of a computer system, comprising:
  - determining an initial system certainty value for the computer system;
  - providing access to a database of signatures, each signature including a signature certainty value;
  - receiving data;
  - comparing the received data with the database of signatures;
  - increasing the system certainty value if the received data does not match a signature in the database;
  - decreasing the system certainty value if the received data matches a signature in the database; and
  - filtering the data based on the system certainty value and the signature certainty value of a signature matching the received data.
2. (Original) The method of claim 1, wherein the data that does not match a signature in the database is forwarded to its destination.
3. (Original) The method of claim 1, wherein the increased or decreased certainty value becomes the initial system value.
4. (Original) The method of claim 1, wherein the data comprises a packet of data.
5. (Currently Amended) The method of claim 1, wherein the filtering further comprises forwarding the data if the signature certainty value is less than the system certainty value; and discarding the data if the signature certainty value is ~~less~~ greater than the system certainty value.

6. (Original) The method of claim 5, wherein the step of forwarding further comprises generating a message log to indicate that data matching a signature was forwarded.

7. (Original) A system for maintaining computer security, comprising:  
means for determining an initial system certainty value for the computer system;  
means for providing access to a database of signatures, each signature including a signature certainty value;  
means for receiving data;  
means for comparing the received data with the database of signatures;  
means for increasing the system certainty value if the received data does not match a signature in the database;  
means for decreasing the system certainty value if the received data matches a signature in the database; and  
means for filtering the data based on the system certainty value and the signature certainty value of a signature matching the received data.

8. (Original) The system of claim 7, wherein the data that does not match a signature in the database is forwarded to its destination.

9. (Original) The system of claim 7, wherein the increased or decreased certainty value becomes the initial system value.

10. (Original) The system of claim 7, wherein the data comprises a packet of data.

11. (Currently Amended) The system of claim 7, wherein the means for filtering further comprises means for forwarding the data if the signature certainty value is less than the system certainty value; and discarding the data if the signature certainty value is less greater than the system certainty value.

12. (Original) The system of claim 11, wherein the means for forwarding further comprises means for generating a message log to indicate that data matching a signature was forwarded.

13. (Original) A computer recording medium including computer executable code for maintaining security of a computer system, comprising:

- code for determining an initial system certainty value for the computer system;
- code for providing access to a database of signatures, each signature including a signature certainty value;
- code for receiving data;
- code for comparing the received data with the database of signatures;
- code for increasing the system certainty value if the received data does not match a signature in the database;
- code for decreasing the system certainty value if the received data matches a signature in the database; and
- code for filtering the data based on the system certainty value and the signature certainty value of a signature matching the received data.

14. (Original) The computer recording medium of claim 13, wherein the data that does not match a signature in the database is forwarded to its destination.

15. (Original) The computer recording medium of claim 13, wherein the increased or decreased certainty value becomes the initial system value.

16. (Original) The computer recording medium of claim 13, wherein the data comprises a packet of data.

17. (Currently Amended) The computer recording medium of claim 13, wherein the code for filtering further comprises code for forwarding the data if the signature certainty value is less than the system certainty value; and discarding the data if the signature certainty value is ~~less~~ greater than the system certainty value.

18. (Original) The computer recording medium of claim 17, wherein the code for forwarding further comprises code for generating a message log to indicate that data matching a signature was forwarded.

19. (New) A system for maintaining computer security, comprising:  
a computer being operable to:  
determine an initial system certainty value for the computer system;  
provide access to a database of signatures, each signature including a signature  
certainty value;  
receive data;  
compare the received data with the database of signatures;  
increase the system certainty value if the received data does not match a  
signature in the database;  
decrease the system certainty value if the received data matches a signature in  
the database; and  
filter the received data based on the system certainty value and the signature  
certainty value of a signature matching the received data.
20. (New) The system of claim 19, wherein if the received data does not match a  
signature in the database, the received data is forwarded to an intended destination.
21. (New) The system of claim 19, wherein the increased or decreased system  
certainty value becomes the initial system certainty value.
22. (New) The system of claim 19, wherein the data comprises a packet of data.
23. (New) The system of claim 19, wherein the computer is further operable to:  
forward the received data if the signature certainty value is less than the system  
certainty value; and  
discard the received data if the signature certainty value is greater than the system  
certainty value.
24. (New) The system of claim 23, wherein the computer is further operable to  
generate a message log to indicate that received data matching a signature was forwarded.